UNITED STATES DEPARTMENT OF COMMERCI United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/561,772	12/21/2005	Kiyokazu Yamada	M1071.1951	1397
32172 DICKSTEIN S	7590 12/11/200° HAPIRO I I P	EXAMINER		
1177 AVENUI	OF THE AMERICAS	PEACE, RHONDA S		
NEW YORK, NY 10036-2714			ART UNIT	PAPER NUMBER
			2874	
			MAIL DATE	DELIVERY MODE
		12/11/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./	FILING DATE	FIRST NAMED INVENTOR /	ATTORNEY DOCKET NO.
CONTROL NO.		PATENT IN REEXAMINATION	
10561772	12/21/2005	YAMADA, KIYOKAZU	M1071.1951
			FYAMINER

DICKSTEIN SHAPIRO LLP 1177 AVENUE OF THE AMERICAS (6TH AVENUE) NEW YORK, NY 10036-2714 EXAMINER

Rhonda S. . Peace

ART UNIT PAPER

2874

20071204

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

This miscellaneous communication has been provided to correct an inadvertent typographical error in the IDS submitted 12/21/2005. The IDS submitted 12/21/2005 intended to cite JP 64-12710, and instead cited JP 64-42710.

JP 64-12710 was submitted to the Office on 12/21/2005, with the above IDS document. The Examiner considered JP 64-12710 on 10/22/2007.

So that the correct information may be reflected on the cover of the patent document, the following items are enclosed with this communication:

- 1.) A PTO-892 document citing the correct Japanese patent, JP 64-12710, and
- 2.) A copy of the IDS submitted 12/21/2005, wherein the patent number containing the typographical error has been lined out.

A copy of the Japanese patent JP 64-12710 has not been included with this communication.

MICHELLE CONNELLY-CUSHWA
PRIMARY EXAMINER

Examiner Art Unit 2874